Паспорт изделия

LANMASTER FTP cat. 6A patch-cord




Product Code: LAN6A-S45-45-XX-XX

LANMASTER FTP cat. 6A patch-cord

Description

Patch cords is category 6A and fully comply with ISO/IEC 11801 standards.
The junction between the RJ-45 plug and the cable is filled with a plastic to ensure a strong connection between them, such a connection is called molded.
Special side ribs are provided at the molded part of the plug to protect the locking latch of the RJ-45 connector from damage and breakage. This solution does not interfere with pressing the latch.
The plug has flexible strain relief boot, which provides a given cable bending radius during operation.

Color options:



Red - RD	
Blue - BL	
Brown - BR	
Black - BK	

Patch cords are available in various lengths:

- 0.5 m
- 1.0 m
- 1.5 m
- 2.0 m
- 3.0 m
- 5.0 m
- 7.0 m

Jacket material	PVC (polyvinylchloride)
Conductor diameter	26 AWG
Conductor type	Stranded
Nominal velocity of propagation	67%
Compliant with	TIA/EIA 568-C.2 cat. 6

Out of production, replaced by: LAN-PC45/S6A-XX-XX

Model range

LAN6A-S45-45-0.5-GY	Патч-корд LANMASTER FTP кат.6A, 0.5 м, серый

LAN6A-S45-45-2.0-GY	Патч-корд LANMASTER FTP кат.6A, 2.0 м, серый
LAN6A-S45-45-5.0-GY	Патч-корд LANMASTER FTP кат.6A, 5.0 м, серый

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.