
Паспорт изделия

Business series 19" floor cabinet, 800 mm wide



Product Code: [TWT-CBB-xxU-8yy](#)

Business series 19" floor cabinet, 800 mm wide

Description

The Business Advanced series floor cabinet is intended for 19" equipment mounted on two or four mounting rails. It is possible to install two post mount shelves and heavy-duty shelves having four mount post with mounting on front and rear rails (load capacity of each shelf is from 50 to 100 kg). Provision is made for installation of ceiling fan modules.

The cabinet design is based on a dismountable load-bearing frame.

There are configuration options with various types of front and rear doors.

Door sets:

- Single hinged glass door / Metal split door
- Single hinged perforated door / Perforated split door

Removable side panels provide easy access to the equipment. In the bottom and the roof of the cabinet there are openings closed with removable covers for the entry of cables. Cable brush entry can be installed instead of the covers.

800mm wide cabinets have two vertical cable managers in the kit. To manage vertical cable flows in 600 mm wide cabinets, we recommend using special cable management rings, supplied as an option, installed in the mounting frame, and fixed with screws.

The cabinet is equipped with leveling feet to compensate uneven floors and swivel casters to allow movement. It is possible to install the cabinet on an additional plinth. In this case, the feet of the cabinet are transferred to the plinth. The feet are mounted in M12 threaded holes in the plinth. It is possible to bay cabinets to each other using a baying kit for connecting cabinets.

The cabinet is supplied disassembled.

19" rails (extruders) are marked with rack mounting units (RMU).

Color is black (RAL 9004).

Maximal load capacity is 800 kg.

Ingress protection is IP 20.

Powder coating painting.

Scope of delivery: two frames packed separately, a box with a bottom and a roof, a box with side doors, a box with front and rear doors.

A box with vertical cable managers is additionally included in the scope of delivery for 800 mm wide cabinets.

Cabinets comply with ANSI/EIA RS-310-D, IEC297-2, DIN41494-1, DIN41494-7 international standards.

Model range

TWT-CBB-42U-8x8-G1	Business 19" cabinet, 42U, 800x800, black, glass front door, metal split rear door
TWT-CBB-42U-8x10-G1	Business 19" cabinet, 42U, 800x1000, black, glass front door, metal split rear door
TWT-CBB-42U-8x12-G1	Business 19" cabinet, 42U, 800x1200, black, glass front door, metal split rear door
TWT-CBB-47U-8x12-G1	Business 19" cabinet, 47U, 800x1200, black, glass front door, metal split rear

	door
TWT-CBB-47U-8x10-G1	Business 19" cabinet, 47U, 800x1000, black, glass front door, metal split rear door
TWT-CBB-47U-8x8-G1	Business 19" cabinet, 47U, 800x800, black, glass front door, metal split rear door
TWT-CBB-42U-8x10-P1	Business 19" cabinet, 42U, 800x1000, black, perforated front door, split perforated rear door
TWT-CBB-42U-8x12-P1	Business 19" cabinet, 42U, 800x1200, black, perforated front door, split perforated rear door
TWT-CBB-42U-8x8-P1	Business 19" cabinet, 42U, 800x800, black, perforated front door, split perforated rear door
TWT-CBB-47U-8x10-P1	Business 19" cabinet, 47U, 800x1000, black, perforated front door, split perforated rear door
TWT-CBB-47U-8x12-P1	Business 19" cabinet, 47U, 800x1200, black, perforated front door, split perforated rear door
TWT-CBB-47U-8x8-P1	Business 19" cabinet, 47U, 800x800, black, perforated front door, split perforated rear door

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.