Паспорт изделия

Wall corner enclosure, 430 mm deep, glass door, black

Product Code: TWT-CBWTG-xU-yx4-BK

Wall corner enclosure, 430 mm deep, glass door, black

Description

The wall enclosure is used to accommodate 19" network and telecommunication equipment. The unusual shape of the enclosure allows to use it in confined spaces, the enclosure can be installed in a wall corner.

Distinctive features:

- Triangular shape

Space saving, you can install the enclosure in a wall corner.

- Robust welded construction

The enclosure is supplied assembled, has reliable fastenings to the wall.

- Glass door

Door has tempered glass insert and 180° opening angle.

Enclosures are available in two depths: 430 mm and 600 mm. Installation of equipment is possible only on two rails, subject to depth restrictions. You can also use the cantilever shelves. The mounting rails are adjustable in depth (from 130 mm to 300 mm depending on the size of the model) and can be moved by 15 mm increments.

TWT-CBW-FANB2 fan units or TWT-CBW-FAN1-BB fans (supplied separately) can be installed on the enclosure’s roof. The top and bottom panels have openings for cable entry covered with a rubber grommet. The rubber membrane protects the interior of the cabinet from dust and dirt. The rubber ring also reduces the risk of damage to the cable from the edge of the cable entry hole.

Front door with tempered glass insert. If necessary, the door can be hanged to the other side. Earth terminals are provided on the door, earth wire is included.

Reliable fastening to the wall at 6 points, the package includes 4 mounting anchors.

Color is black (RAL 9004).

Ingress protection is IP 20.

Powder coating painting.

Cabinets comply with ANSI/EIA RS-310-D, IEC297-2, DIN41494-1, DIN41494-7 international standards.

Model range

TWT-CBWTG-4U-6x4-BK	Wall corner enclosure, 4U, 530x430 mm, glass door, black
TWT-CBWTG-6U-6x4-BK	Wall corner enclosure, 6U, 600x430 mm, glass door, black
TWT-CBWTG-9U-6x4-BK	Wall corner enclosure, 9U, 600x430 mm, glass door, black

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.